

1. SECTION: PRODUCT AND COMPANY IDENTIFICATION

1.1 Produktidentifikator

Product name: Booster 12/24 V, 3400
Produkt number: 550.1725

1.2 Details of the supplier providing the safety data sheet

KS Tools

Werkzeuge und Maschinen GmbH

Seligenstädter Grund 10–12

63150 Heusenstamm - GERMANY

customerservice@kstools.com

www.kstools.com

1.3 Emergency number, telephone number: POISON CONTROL/TRANSPORT EMERGENCY -

Deutschland, Österreich, Schweiz, Luxemburg (24h)

Tel: +49 89 220 61012 / 0800 000 7801 (Deutsch, Englisch)

Numéro d'appel d'urgence en cas d'intoxication/d'accident -

Suisse, Luxembourg (24h): Tel: ++33 1 7211 0003 (Français)

NOTRUF: 112

Emergency number:

EMERGENCY CONTACT – UK, UAE,

South Africa (24h): Tel: ++441865407333 (English)

TRANSPORT EMERGENCY CONTACT - UK, UAE,

South Africa (24h): Tel: ++44 1865 407333 (English)

2. SECTION:HAZARDS IDENTIFICATION

2.1 Hazards Identification

The battery has passed the vibration on test, pressure, differential test leakage test at 55 °C according to recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations(60™) SPECIAL PROVISION 238.

- Es ist gemäß Sonderbestimmung A67 nicht auf IATA DGR beschränkt.
- Es ist nicht auf den IMDG-Code gemäß Sonderbestimmung 238 beschränkt.

2.2 Emergency Overview

The internal battery material may cause severe irritation to eyes and skin. Causes burns

3. SECTION: INFORMATION ON INGREDIENTS

3.1 Product name: SPB VRLA BATTERIE 6-SPB-25. 6-SPB-44A(AC-SSL-44). 6-SPB-50A. 6-SPB-75. 6-SPB-100

Ingredient	Concentration	CAS-No.	EG-No.
Lead	45,8%	7439-92-1	231-100-4
Lead dioxide	21,5%	1309-60-0	215-174-5
Sulfuric Acid	23,1%	7664-93-9	231-639-5
Plastic	7,1%	9003-56-9	/
Separator	2,5%	65997-17-3	266-046-0

4. SECTION: FIRST-AID MEASURES

Skin Exposure:

If the skin contact with the internal battery materials immediately flush with plenty of water for at least 15 minutes. Seek immediate medical attention.

Eye exposure:

If the eyes contact with the internal battery materials, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Seek immediate medical attention.

Inhalation Exposure:

If potential for exposure to mist or dusts occurs, remove immediately to fresh air and seek medical attention.

Oral Exposure:

If swallowed the internal materials, do not induce vomiting. Seek immediate medical attention.

5. SECTION: FIRE FIGHTING MEASURES

5.1 Extinguishing Media:

Suitable: Dry chemical, Sandy soil, Carbon dioxide or appropriate foam.

